SAFETY DATA SHEETS

GENERAC 17500 PORTABLE GENERATOR

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GENERAC 17500 PORTABLE GENERATOR MANUFACTURER: Incredible Products LLC. ADDRESS: 1601 McKinley Rd. St. Mary's, OH 45885 INFORMATION PHONE: 567-297-3700 EMERGENCY PHONE: 800-424-9300 FEBRUARY 22, 2022

SECTION 2: HAZARDOUS IDENTIFICATION

Classification:

Skin Irritation: N/A Eye Irritation: N/A Respiratory Sensitizer (Solid/Liquid): N/A Skin Sensitizer: N/A Carcinogenicity: N/A

Signal Word: Warning

Hazardous Statements- Health:

The exhaust fumes from this machine contain toxic carbon monoxide gas, which can cause shortness of breath, or even death. Avoid breathing fumes and always have proper ventilation.

Precautionary Statements- General:

P102- Keep out of reach of children P103- Read label before use

Precautionary Statements- Prevention:

P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. Do not operate near open flames or flammable materials. A clearance of at least 3 feet should be maintained from all surrounding objects during operation to avoid overheating. Do not cover during operation. Muffler and engine may get hot during operation

Precautionary Statements- Response:

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P308 + P313 - IF exposed or concerned: Get medical advice/attention.

Precautionary Statements- Storage:

P405 - Store locked up.

Precautionary Statements- Disposal:

P501 - Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

N/A

SECTION 4: FIRST AID MEASURES

Inhalation:

Remove the source of exposure or move the person to fresh air and keep them comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. If exposed/feel unwell/concerned: Call a POISON CENTER/doctor.

Skin Contact:

IF exposed or concerned: Get medical advice/attention.

Eye Contact:

Ingestion:

N/A

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Dry chemical, foam, carbon dioxide or fog is recommended. Sand or earth may be used for small fires only.

Unsuitable Extinguishing Media:

N/A

Specific Hazards in Case of Fire: Electric Shock

Fire-fighting Procedures:

Isolate immediate hazard areas and keep unauthorized personnel out. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Special Protective Actions:

Wear NIOSH approved self-contained breathing apparatus in positive pressure mode with a full-face piece. Boots, gloves (neoprene), googles, and full protective clothing are also required. Care should always be exercised in dust/mist areas.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure:

N/A

Recommended Equipment: N/A

Personal Precautions: N/A

Environmental Precautions:

N/A

SECTION 7: HANDLING AND STORAGE

GENERAL:

Wash hands after use. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited.

Ventilation Requirements:

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

Storage Room Requirements:

Store in cool, dry, well-ventilated areas away from furnaces, stoves, water heaters or other appliances which have pilot lights or other ignition sources

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION:

Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for the entire face, use it in combination with a face shield.

SKIN PROTECTION:

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves.

RESPIRATORY PROTECTION:

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect workers, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers When airborne concentrations exceed or are expected to exceed the TLV, use MSHA/NIOSH approved positive pressure supplied air respirator with a full-face piece or an air supplied hood. For emergencies, use a positive pressure self-contained breathing apparatus.

APPROPRIATE ENGINEERING CONTROLS:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

AC RATED OUTPUT RUNNING WATTS: 17,500 AC MAXIMUM OUTPUT MOTOR STARTING WATTS: 26,250 AC VOLTAGE: 120/240 VAC AC FREQUENCY: 60 HZ RATED VAC AMPERAGE: 145.8/72.9 MAX RATED VAC AMPERAGE: 218.75/109.38

SECTION 10: STABILITY AND REACTIVITY

STABILITY: This product is stable.

CONDITIONS TO AVOID:

Contact with a water source, if not avoided, will result in death and/or serious injury

HAZARDOUS REACTIONS/POLYMERIZATION:

Will not occur.

INCOMPATIBLE MATERIALS: Water and other liquids which cause moisture

HAZARDOUS DECOMPOSITION PRODUCTS:

N/A

SECTION 11: TOXICOLOGICAL INFORMATION

N/A

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Waste management should be in full compliance with federal, state, and local laws.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT Information: Not regulated IMDG Information: Not regulated IATA Information: Not regulated

SECTION 15: REGULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

DISCLAIMER:

The information contained herein is based on the data available and is believed to be accurate, however, the manufacturer makes no warranty expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Accordingly, we assume no responsibility for injury from the use of this product.