

SAFETY DATA SHEETS

MAKITA 6000 SINGLE SPEED GRINDER

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: MAKITA 6000 SINGLE SPEED GRINDER
MANUFACTURER: Incredible Products LLC.
ADDRESS: 1601 McKinley Rd, St. Marys, OH 45885
INFORMATION PHONE: 567-297-3700
EMERGENCY PHONE: 800-424-9300
REVISION DATE: June 3, 2022

SECTION 2: HAZARDOUS IDENTIFICATION

Classification:

Skin Irritation- N/A
Eye Irritation- N/A
Respiratory Sensitizer (Solid/Liquid)- N/A
Skin Sensitizer- N/A
Carcinogenicity- N/A

Signal Word: Warning

Hazardous Statements- Health:

N/A

Precautionary Statements- General:

P102 - Keep out of reach of children.

Precautionary Statements - Prevention:

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P284 - <In case of inadequate ventilation> wear respiratory protection.

P202 - Do not handle until all safety precautions have been read and understood.

Precautionary Statements- Response:

N/A

Precautionary Statements- Storage:

P405- Store locked up.

Precautionary Statements- Disposal:

P501 - Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

N/A

SECTION 4: FIRST AID MEASURES

Inhalation:

N/A

Skin Contact:

N/A

Eye Contact:

N/A

Ingestion:

N/A

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

N/A

Unsuitable Extinguishing Media:

Water, may cause electric shock

Specific Hazards in Case of Fire:

N/A

Fire-fighting Procedures:

Isolate the immediate hazard area and keep unauthorized personnel out. Move undamaged containers from the immediate hazard area if it can be done safely. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Special Protective Actions:

Wear NIOSH approved self-contained breathing apparatus in positive pressure mode with full-face piece. Boots, gloves (neoprene), goggles, and full protective clothing are also required. Care should always be exercised in dust/mist areas

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure:

N/A

Recommended Equipment:

N/A

Personal Precautions:

N/A

Environmental Precautions:

N/A

SECTION 7: HANDLING AND STORAGE

General:

Use personal protective equipment.

Always wear eye protection.

Protective equipment such as dust masks, non-skid safety shoes, hard hats, or hearing protection used for appropriate conditions will reduce personal injuries.

Wash hands after use.

Do not breathe dust.

Use good personal hygiene practices.

Eating, drinking and smoking in work areas is prohibited.

Ventilation Requirements:

Use only with adequate ventilation to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source.

Storage Room Requirements:

Store idle power tools out of the reach of children and do not allow persons unfamiliar with the power tool or these instructions to operate the power tool. Power tools are dangerous in the hands of untrained users.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for the entire face, use it in combination with a face shield.

Skin Protection:

Heavy cloth work gloves

Respiratory Protection:

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect workers, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. When airborne concentrations exceed or are expected to exceed the TLV, use MSHA/NIOSH approved positive pressure supplied air respirator with a full-face piece or an air supplied hood. For emergencies, use a positive pressure self-contained breathing apparatus. Air purifying (cartridge type) respirators are not approved for protection against isocyanates.

Appropriate Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVITY: N/A
BOILING POINT: N/A
EVAPORATION RATE: N/A
VAPOR DENSITY: N/A
SOLUBILITY IN H2O: INSOLUBLE

SECTION 10: STABILITY AND REACTIVITY

Stability:

This product is stable

Conditions to Avoid:

Wet or rainy conditions. Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gasses or dust. Power tools create sparks which may ignite the dust or fumes.

Hazardous Reactions/Polymerization:

Will not occur under normal conditions.

Incompatible Materials:

N/A

Hazardous Decomposition Products:

N/A

SECTION 11: TOXICOLOGICAL INFORMATION

This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Waste management should be in full compliance with federal, state, and local laws.

SECTION 14: TRANSPORTATION INFORMATION

DOT: Not regulated

IMO/IMDG: Not regulated

IATA Informtaion: Not regulated

SECTION 15: REGULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

DISCLAIMER

The information contained herein is based on the data available and is believed to be accurate, however, the manufacturer makes no warranty expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Accordingly, we assume no responsibility for injury from the use of this product.