



# SAFETY DATA SHEET

## WES- 3437 RIDE-ON FLOOR SCRUBBER

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** WES-3437 RIDE-ON FLOOR SCRUBBER  
**MANUFACTURER:** WARRIOR EQUIPMENT  
**ADDRESS:** 1101 LINCOLN AVE, WAPAKONETA, OHIO 45895  
**INFORMATION PHONE:** 567-297-3700  
**EMERGENCY PHONE:** 800-424-9300  
**REVISION DATE:** DECEMBER 30, 2020

### SECTION 2: HAZARDOUS INFORMATION

**Classification:**

**Skin Irritation:** N/A

**Eye Irritation:** N/A

**Respiratory Sensitizer (Solid/Liquid):** N/A

**Skin Sensitizer:** N/A

**Carcinogenicity:** N/A

**Hazardous Statements- Health:**

N/A

**Precautionary Statements- General:**

P102- Keep out of reach of children

P103- Read Owner's Manual before use

**Precautionary Statements- Prevention:**

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood

**Precautionary Statements- Response:**

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

**Precautionary Statements- Storage:**

P405 - Store locked up.

**Precautionary Statements- Disposal:**

P501 - Dispose of contents/ container to an approved waste disposal plant.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

N/A

### SECTION 4: FIRST AID MEASURES

**Inhalation:**

N/A

**Skin Contact:**

N/A

**Eye Contact:**

IF exposed or concerned: Get medical advice/attention.

**Ingestion:**

N/A

### SECTION 5: FIRE FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA:** Use a powder fire extinguisher in case of fire

**UNSUITABLE EXTINGUISHING MEDIA:** Do not use water

**Specific Hazards in Case of Fire:** N/A

**FIRE-FIGHTING PROCEDURES:**

Isolate immediate hazard areas and keep unauthorized personnel out. Dispose of fire debris & contaminated extinguishing water in accordance with official regulations.

**SPECIAL PROTECTIVE ACTIONS:**

Wear NIOSH approved self-contained breathing apparatus in positive pressure mode with a full-face piece. Boots, gloves (neoprene), goggles, and full protective clothing are also required. Care should always be exercised in dust/mist areas. and full protective clothing are also required. Care should always be exercised in dust/mist areas.



# SAFETY DATA SHEET

## WES- 3437 RIDE-ON FLOOR SCRUBBER

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Emergency Procedure:**

N/A

**Recommended Equipment:**

N/A

**Personal Precautions:**

N/A

**Environmental Precautions:**

N/A

### SECTION 7: HANDLING AND STORAGE

**GENERAL:**

Wash hands after use. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited.

**VENTILATION REQUIREMENTS:**

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

**STORAGE ROOM REQUIREMENTS:**

Machine storage temperature must be between -25 and +55 degrees C.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**EYE PROTECTION:**

Wear eye protection with side shields or goggles. If additional protection is needed for the entire face, use it in combination with a face shield.

**SKIN PROTECTION:**

Use of gloves approved to relevant standards.

**RESPIRATORY PROTECTION:**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect workers, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. When airborne concentrations exceed or are expected to exceed the TLV, use MSHA/NIOSH approved positive pressure supplied air respirator with a full-face piece or an air supplied hood. For emergencies, use a positive pressure self-contained breathing apparatus.

**APPROPRIATE ENGINEERING CONTROLS:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Cleaning Width:** 33.90 in.

**Squeegee Width:** 42.50 in.

**Solution Tank Capacity:** 34.30 gal.

**Recovery Tank Capacity:** 37 gal.

**Machine Length:** 65 in.

**Machine Height:** 35.50 in.

**Machine Width(without squeegee):** 51.20 in.

**Machine Weight:** 712 lbs.

**Batteries Voltage:** 24V

### SECTION 10: STABILITY AND REACTIVITY

**STABILITY:**

This product is stable

**CONDITIONS TO AVOID:**

N/A

**HAZARDOUS REACTIONS/POLYMERIZATION:**

Will not occur under normal conditions.

**INCOMPATIBLE MATERIALS:**

Pure Acids

**HAZARDOUS DECOMPOSITION PRODUCTS:**

N/A



# SAFETY DATA SHEET

## WES- 3437 RIDE-ON FLOOR SCRUBBER

### SECTION 11: TOXICOLOGICAL INFORMATION

N/A

### SECTION 12: ECOLOGICAL INFORMATION

N/A

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

All packaging and batteries should be recycled according to applicable government regulations. After years of efficient work your machine will be ready to "scrap", deal with its composing materials in the proper way, and please remember that the machine has been built using totally recyclable materials.

### SECTION 14: TRANSPORTATION INFORMATION

**U.S. DOT Information**

Not Regulated

**IMDG Information**

Not Regulated

**IATA Information**

Not regulated

### SECTION 15: REGULATORY INFORMATION

N/A

### SECTION 16: OTHER INFORMATION

**DISCLAIMER:**

The information contained herein is based on the data available and is believed to be accurate, however, the manufacturer makes no warranty expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Accordingly, we assume no responsibility for injury from the use of this product.